

## » Snuffleupagus

A elephant with some salt,  
in your php stack,  
killing bug classes,  
and virtual-patching,  
what is remaining.



## » Backlog

We gave subsets of this presentation at various conferences, using various themes.

## » At an invite-only conference



♥ BerlinSides ♥


## » At a small conference in Switzerland



♥ Black Alps ♥



## » At a big conference in Luxembourg



♥ Hacklu ♥

» **Can you guess our current theme?**

## » Hint



» Hellooooooooooooo





## » Good evening


- We're super thrilled to be here
- We're working together at the same (French<sup>1</sup>) company
- In the security team.
- It's called **NBS System**
- And it's a hosting company, you know, for websites.
- Also known as **the cloud**.

<sup>1</sup> Hence why we have the same lovely accent than everyone here.

» **Story time!**



## » Your security team



**Fig 1.** They are kick-ass and super-cool.

» There is a new \$customer website



*Fig 1.* The marketing is so happy about it, it's so shiny

## » Using a fixed version wordpress



*Fig 1.* Your security team reaction




## » The web agency



*Fig 1.* Artistic's depiction of your web agency

## » The agency was convincing



*Fig 1.* They told the management that they take security seriously

## » Management



**Fig 1.** Management says that everything will be fine.



## » Your security team isn't convinced



*Fig 1.* This isn't going to end well

## » Hackers on the internet



*Fig 1.* Wow, look at this old-school wordpress, noice

## » Surprise disclosure of a wordpress' RCE on FD



**Fig 1.** Your security team is "busy" at a conference: they aren't reachable



## » Kiddies are pwning your website



*Fig 1.* Kiddies, launching exploits

## » Your DB is encrypted by a lame ransomware



**Fig 1.** "Wait, what backups are you talking about", replied your admin



## » Public image



**Fig 1.** Your company is looking like a bunch of idiots.



## » Fixing the website



**Fig 1.** Your security team spent their week-end removing webshellz

## » What problem are we trying to solve?

1. We're hosting several thousands of websites, most of them are written in PHP.
2. PHP is an *old-school trigger-happy footgun language*, with massively creative users.

How do we prevent our customers from being pwned on a daily basis?

## » What we were doing so far

- We have a dedicated security team
- We have cool OS-level hardening (grsecurity ♥)
- We have custom IDS
- We have a fancy WAF called *naxsi*

But not everything is patchable with those and we can *not*<sup>2</sup> touch the PHP code.

<sup>1</sup> And to be honest, we don't want to.

## » Can't we harden PHP itself?

- Suhosin did it, and it worked great, but we're in 2018 and:
  - It has some useless features
  - It lacks some useful features
  - It is not very industrializable
  - It doesn't fly on PHP7

» So we wrote our own hardening module,  
in C!



*Fig 1.* Snuffleupagus

## » Snuffleupagus?



cbrocas commented 5 days ago



Hi Ju and friends!

As a conference organizer you are going to come to speak about this project, I had to deal with this f\*\*ing name far more than I would ever wanted to!

*Please be kind with your users, just drop this Sn{uffleupags} horror name and choose something short, pronounceable and user convenient :)*

Thanks for preserving the infosec community health :D

Cheers, Christophe



4



2



## » Snuffleupagus?



jvoisin commented 5 days ago • edited ▾

Member



I'll be happy to:

1. buy **you** a beer at [pass the salt](#);
2. explain on stage in great details why we chose this specific name;
3. Update and close this issue with the slides after the talk

Is this an acceptable solution for you?



cbrocas commented 4 days ago



Great answer! Particularly awaiting the point 2) ;-)  
This solution is totally fine from my point of view!


## » Snuffleupagus?!

Aloysius Snuffleupagus, more commonly known as Mr. Snuffleupagus, Snuffleupagus or Snuffy for short, is one of the characters on *Sesame Street*.

He was created as a woolly mammoth, without tusks or (visible) ears, and has a long thick pointed tail, similar in shape to that of a dinosaur or other reptile.

— wikipedia

## » Where does it live



## » **PHP-level virtual patching**

## » The issue

- `disable_function` can globally forbid usage of arbitrary functions
- Your CMS is using `system` for its update mechanism
- Either forbid `system` or keep your website up to date
- This is why we can't have nice things.



## » How we're helping

- Disable `system` globally:

```
sp.disable_functions.function("system").drop();
```

- Allows `system` calls in a specific file

```
sp.disable_functions.function("system").filename("up.php").allow();  
sp.disable_functions.function("system").drop();
```

- Allow `system` calls in a file, with a matching sha256:

```
sp.disable_functions.function("system").filename("up.php").hash("13..a").allow();  
sp.disable_functions.function("system").drop();
```

We even provide a **user-friendly** script to generate a configuration file, freezing dangerous functions usage.

» **What can we do with php-level  
virtual-patching?**

## » About the syntax

We designed<sup>1</sup> the rules syntax like this:

- 24 different filters
- Documentation for everything
- Lots of examples

to be able to easily patch:

- every *wordpress* CVE since 2010
- the *RIPS advent calendar*
- a lot of *high-profile* web exploits
- our own 0dayz ;)

<sup>1</sup> Designing configuration formats is awful, if you're wondering.

## » Examples

```
sp.disable_function("PHPThingy::MyClass::method_one>internal_func").drop();
sp.disable_function("admin_cron_thingy").cidr("127.0.0.1/32").allow();
sp.disable_function("admin_cron_thingy").drop();
sp.disable_function.function("render_tab3").var("_REQUEST[tab]").value_r("\").drop();
sp.disable_function.function("system").pos("0").value_r("[^a-z]").drop();
```

## » Regarding this morning

```
sp.disable_function.filename("change.php").param("confirmpassword").param_type("array").drop();
sp.disable_function.filename("change.php").param("newpassword").param_type("array").drop();
sp.disable_function.filename("change.php").param("oldpassword").param_type("array").drop();
sp.disable_function.filename("change.php").param("login").param_type("array").drop();

# Will this work ?
sp.disable_function.function("ldap_bind").ret("false").drop();
```



» **What can we do with this?**

## » `system()` injections

## » What the documentation is saying

When allowing user-supplied data to be passed to this function, use `escapeshellarg()` OR `escapeshellcmd()` to ensure that users cannot trick the system into *executing arbitrary commands*.

## » What people are doing

```
<?php
$ip_addr = system("dig +short " . $_GET["address"]);
echo "The ip adress of $_GET['address'] is $ip_addr";
?>
```

## » What we're getting

- CVE-2017-7692: Authen RCE on SquirrelMail
- CVE-2016-9565: Unauth RCE on Nagios Core
- CVE-2014-1610: Unauth RCE on DokuWiki
- *Every single* shitty modem/router/switch/IoT.

## » How we're (kinda) killing it

```
sp.disable_function.function("system").param("command").value_r("[${};&\n`]").drop();
```

» **mail** related RCE



## » What the documentation is saying

The `additional_parameters` parameter can be used to pass *additional flags* as command line options to the program configured to be used when sending mail

Known since 2011, popularized by RIPS.

## » What people are doing

```
// Olo! sending some emails  
mail(..., $_GET['a']);
```

## » What we're getting

- CVE-2017-7692: Authen RCE in SquirrelMail
- CVE-2016-10074: RCE in SwiftMailer
- CVE-2016-10033: RCE in PHPMailer
- CVE-2016-9920: Unauth RCE in Roundcube
- RCE in a lot of webmails

## » How we're (kinda) killing it

```
sp.disable_function.function("mail").param("additional_parameters").value_r("\-").drop();
```

## » Writing rules

*Fig 1.* When the security team realises that it needs to write a lot of rules.

# » Nobody has time to write rules

So lets kill some bug classes!

## » Session-cookie stealing via XSS

Like suhosin, we're encrypting cookies with a secret key tied to:

- The *user-agent* of the client
- A *static key*
- And *environment variable* tat you can set to:
  - The *ip address*<sup>1</sup>
  - The *TLS extended master key*
  - ...

<sup>1</sup> Not the best idea ever: in 2017, people are roaming *a lot*.



## » Misc cookies things

- If you're coming over https, your cookies get the `secure` flag
- If cookies are encrypted, they are `httpOnly`
- Support for `SameSite` to kill CSRF

## » RCE via file-upload

## » What the documentation is saying

Not validating which file you operate on may mean that users can access *sensitive information* in other directories.

## » What people are doing

```
$uploaddir = '/var/www/uploads/';  
$uploadfile = $uploaddir . basename($_FILES['userfile']['name']);  
move_uploaded_file($_FILES['userfile']['tmp_name'], $uploadfile)
```

## » What we're getting

- CVE-2001-1032 : RCE in PHP-Nuke via file-upload
- ...
- *15 years later*
- ...
- CVE-2016-9187 : RCE in Moodle via file-upload

There are 850 CVE entries that match your search  
— [cve.mitre.org](https://cve.mitre.org)

## » How we're killing it

Suhosin style:

```
sp.upload_validation.script("tests/upload_validation.sh").enable();
```

One trick is to rely on `vld`<sup>1</sup> to ensure file doesn't contain php code:

```
$ php -d vld.execute=0 -d vld.active=1 -d extension=vld.so $file
```

<sup>1</sup> Vulcan Logic Disassembler. (yes)



» **Unserialize**

## » What the documentation is saying

*Do not* pass untrusted user input to `unserialize()` [...]. Unserialization can result in code being loaded and executed [...].

## » What people are doing

```
$my_object = unserialize($_GET['o']);
```

## » Small aparté about `unserialize`



**Fig 1.** The security team reading PHP's mailing list

## » What we're getting

- CVE-2012-5692: unauth RCE in IP.Board
- CVE-2014-1691: Unauth RCE in Horde
- CVE-2015-7808: Unauth RCE in vBulletin
- CVE-2015-8562: Unauth RCE in Joomla
- CVE-2016-????: Unauth RCE in Observium (leading to remote root)
- CVE-2016-5726: Unauth RCE in Simple Machines Forums
- CVE-2016-4010: Unauth RCE in Magento
- CVE-2017-2641: Unauth RCE in Moodle

## » How we're killing it

Php will discard any garbage found at the end of a serialized object: we're simply appending a *hmac* at the end of strings generated by `serialize`.

It looks like this:

```
s:1:"a";650609b417904d0d9bbf1fc44a975d13ecdf6b02b715c1a06271fb3b673f25b1
```

» **rand and its friends**

## » What the documentation is saying

This function *does not* generate cryptographically secure values, and *should not* be used for cryptographic purposes.

## » What people are doing

```
$password_reset_token = rand(1,9) . rand(1,9) . [...] . rand(1, 9);
```

## » What we're getting

- CVE-2008-4102: Auth bypass in Joomla
- ...
- CVE-2015-5267: Auth bypass in Moodle
- Various captcha bypasses

## » How we're killing it

We're simply replacing every call to `rand` and `mt_rand` with `random_int`.

» **XXE**



## » What the documentation is saying

Not a single warning ;)

## » What people are doing

```
$xmlfile = file_get_contents('php://input');  
$dom = new DOMDocument();  
$dom->loadXML($xmlfile);  
$data = simplexml_import_dom($dom);
```

## » What we're getting

- CVE-2011-4107: Authen LFI in PHPMyAdmin
- ...
- CVE-2015-5161: Unauth arbitrary file reading on Magento

## » How we're killing it

We're calling `libxml_disable_entity_loader(true)` at startup, and *nop'ing* its call.

## » Unrelated misc things

```
# chmod hardening
sp.disable_function.function("chmod").param("mode").value_r("7$");
sp.disable_function.function("chmod").param("mode").value_r("o\+w");

# backdoors detection
sp.disable_function.function("ini_get").param("var_name").value("open_basedir");
sp.disable_function.function("is_callable").param("var").value("system");

# prevent execution of writeable files
sp.readonly_exec.enable();

# Ghetto sqlmap detection
sp.disable_functions.function_r("mysqli?_query").ret("FALSE").dump().allow();
sp.disable_functions.function_r("PDO::query").ret("FALSE").dump().allow();
```

## » Harvesting 0days

If you've got something like this

```
$line = system("grep $var dict.txt");
```

You can do something like that

```
sp.disable_function.function("system").var("var").regexp("[;`&|\n]").dump().allow();
```

And wait until someone finds a vuln to collect a working exploit.

## » Performance impact

- Currently deployed on (at least) one Alexa1 top 1k website.
- We're using it on some customers
- No performance impact noticed
- We're (kinda) only hooking the functions that you specify
- Filter-matching is written with performances in mind

## » What's left to do

- Killing more bug-classes, like sloppy-comparisons and SQLI<sup>1</sup>
- Improve the virtual patching capabilities
- Party party party

<sup>1</sup> We're working on it ;)

## » How to get this wonder?

- <https://github.com/nbs-system/snuffleupagus> for the sauce code
- <https://snuffleupagus.rtf.d.io> for the (amazing) documentation
- Come talk to us, we're friendly!

## » Mandatory final quote

There are only two kinds of languages: the ones people complain about and the ones nobody uses.

— Bjarne Stroustrup

Did you know that more than  $\frac{3}{4}$  *of the web* is using PHP?



## » Cheers

- The **RIPS** people for their awesome scanner
- **SectionEins** for Suhosin and inspiration
- The **HardenedPHP** project for leading the way
- **websec.fr** for showcasing our most convoluted exploits
- Our ~~guinea pigs~~ **friends** who alpha-tested everything
- Folks that ~~called us names~~ gave us constructive feedback
- Pass the Salt for accepting our talk ♥

